

### HAKOFR-300 DESOLDERING TOOL

Handy Desoldering Tool

# Four new features that increase workability and efficiency

Filter pipe

Quick Change Nozzle System provides speed and safety.



Dispose of solder dross with a simple operation without being affected by heat.


3 Calculated weight balance

The new Quick Change Nozzle System allows for a safer and simpler method to quickly remove nozzles for cleaning or replacement, even when the unit is hot.



Motor, pump, and temperature control circuit are optimally positioned within the body to ensure good balance when holding the gun.

Well-balanced
Ergonomic design
for operators' comfort



Dial control for easy temperature selection

The dial integrated into the handle makes it easy to adjust the temperature setting without the use of additional tools.

Setting 1	350°C	Setting 2	400°C
Setting 3	450°C	Setting 4	500°C

LED indicators let you easily see when the heater is active and idling at your temperature setting.




Features LED lamp that indicates heater's activity

Dial for temperature control

## Integrated power switch

Locating the power switch on the handle makes it possible to turn the tool on and off with ease and



does away with the hassle of having to remove the plug when you want to turn off the tool.



#### FR-300

#### Simple iron holder included

Includes simple iron holder that prevents burns and accidents from hot parts.

#### Packing List



#### HAKKO FR-300 Handy Desoldering Tool

**CONTENTS:** Cleaning pin for  $\phi$ 1.0 mm nozzles, Cleaning pin for heating core, Ceramic paper filter (large x2), Iron holder (simple type), Aluminum pre-filter, Nozzle changing wrench, Instruction manual

#### Option



Part No.	Part name	
C1100	Iron holder	



Part No.	Part name	Nozzle dimensions
B1302		For φ0.8 mm
B1303	Cleaning	For φ1.0 mm
B1304	drill	For φ1.3 mm
B1305		For φ1.6 mm
B1085		For heating element
B1086	Cleaning pin	For φ0.8 mm nozzle
B1087		For φ1.0 mm nozzle
B1088	F	For φ1.3 mm nozzle
B1089		For φ1.6 mm nozzle

<sup>\*</sup> B1087 is included in FR-300.

#### Replacement Parts Part No. Part name A5000 Heating element 100-120 V Heating element 220-240 V A5001 A1217 Front holder B5014 Element cover Pre-filter (ALUM) set of 5 B5016 B5017 Filter pipe Ceramic paper filter (L) set of 10 A1033

Replacement Nozzles (Unit: mm)			
Part No.	Shape	φA (mm)	φB (mm)
N50-01	фВ Б	0.8	2.0
N50-02	ΨÞ	1.0	2.0
N50-03		0.8	2.5
N50-04	фВ Б	1.0	2.5
N50-05		1.3	3.0
N50-06		1.6	3.0

<sup>\*</sup>Included nozzle is N50-04.

Specifications Specifications				
Model No.	FR-300			
Power consumption	100 V 98 W (50/60 Hz), 110 V 122 W (50/60 Hz), 120 V 140 W (60 Hz), 220 V 105 W (50/60 Hz), 230 V 118 W (50/60 Hz), 240 V 130 W (50/60 Hz)			
Temperature range	350 to 500°C (660 to 930°F)			
Nozzle to ground resistance	<2 Ω			
Nozzle to ground potential	<2 mV			
Vacuum generator	Diaphragm pump			
Vacuum pressure	81 kPa (610 mmHg)			
Suction flow	11 L/min.			
Standard nozzle	ф1.0 mm (Part No. N50-04)			
Dimensions	210 (W) × 226 (H) mm			
Weight (w/o cord)	0.52 kg			

CA00442LbYa003 2015.10



#### **OVERSEAS AFFILIATES**

U.S.A. AMERICAN HAKKO PRODUCTS, INC. 28920 AVENUE WILLIAMS VALENCIA, CA 91355, U.S.A. TEL: (661) 294-0090 FAX: (661) 294-0096 Toll Free (800)88-HAKKO http://www.hakkousa.com

#### **HEAD OFFICE**

4-5, SHIOKUSA 2-CHOME, NANIWA-KU, OSAKA, 556-0024 JAPAN TEL:+81-6-6561-3225 FAX:+81-6-6561-8466 http://www.hakko.com E-mail:sales@hakko.com

HONG KONG
HAKKO DEVELOPMENT CO., LTD.
ROOM 1504, EASTERN HARBOUR CENTRE,
28 HOI CHAK STREET, QUARRY BAY, HONG KONG.
TEL: 2811-5588 FAX: 2590-0217
http://www.hakko.com.hk
E-mail:info@hakko.com.hk

SINGAPORE
HAKKO PRODUCTS PTE LTD
1, GENTING LINK #02-04
PERFECT ONE, SINGAPORE 349518
TEL: 6748-2277 FAX: 6744-0033
http://www.hakko.com.sg
E-mailsales@hakko.com.sg

Please access to the following for the other sales affiliates and distributors. http://www.hakko.com