

Eco-Shine Glass & Surface Cleaner

1505

Maintenance cleaners clean oil and contaminants off of metal parts, printed circuit boards, barcode instruments, switch boxes, gear boxes, and engines. Techspray has produced Blue Shower maintenance cleaners for over 30 years, making Blue Shower a staple in maintenance departments all over the world! Techspray offers a variety of solvents and waterbased cleaners that allow customers to match the right products with their cleaning needs. Choosing a strong, high quality cleaner saves time and money. Grease and oil flow right off, reducing the time and materials needed to scrub off stubborn soils.





Eco-friendly, non-flammable & streak-free glass cleaner

Cleans glass, stainless steel, chrome, mirrors, tile, plastic, ceramic and enamel and leaves a streak-free finish. Effectively removes finger prints, light oils, and other soils. Made from 100% naturally-derived and sustainable ingredients. Convenient pre-saturated wipes available in a pop-up dispenser. Wipe material is low linting and designed to polish as it cleans.

- Streak-free
- Non-flammable
- Non-ozone depleting
- Non-ammoniated safe on sensitive surfaces
- Non-corrosive, moderate pH
- Safe on most plastics and painted surfaces
- Biodegradable
- Low VOC, zero GWP

Product Packaging

1505-QT Eco-Shine Glass & Surface Cleaner 1 qt 12 units/case



1505**-G**Eco-Shine Glass & Surface
Cleaner
1 gal
1 units/case







Instructions

Spray over surface of soiled area. Using a lint-free wipe (we recommend Techspray 2364-50 or 2365-300 wipes), wipe lightly at first to allow cleaning agent to break down residues. Continue to wipe in a circular motion until dirt and fingerprints are fully removed and cleaner is dry. Dispose of soiled wipe as appropriate depending on the type of material removed.

Technical Information

Chemical & Physical Properties

Appearance	Clear, colorless liquid
Odor	Faint citrus odor
Flash Point	none
VOC (EPA)	2.1%, 20.9 g/l
VOC (CARB)	2.1%, 20.9 g/l
Boiling Point	205°F (96°C)
Density	0.99 at 25°C

Chemical Composition

CHEMICAL NAME	CAS#
Ethanol	64-17-5
Includes other hazardous components in non- reportable quantities.	





Metals Compatibility

RATING
Excellent

Plastics & Rubber Compatibility

MATERIAL NAME	RATING
ABS	Excellent
Nylon	Excellent
Lexan	Excellent
HDPE	Excellent
LDPE	Excellent
C. E. Phenolic	Excellent
РММА	Crazing observed on stressed PMMA. No effect on unstressed PMMA.
POM	Excellent
PP	Excellent
PS	Excellent
PTFE	Excellent
PVC	Excellent

Environmental Policy

Techspray is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.





Resources

Techspray products are supported by a global sales, technical and customer services resources.

For additional technical information on this product or other Techspray products in the United States, call the technical sales department at 800-858-4043, email tsales@techspray.com or visit our web site at: www.techspray.com.

North America

Techspray P.O. Box 949 Amarillo, TX 79105 800-858-4043

Email: tsales@techspray.com

<u>Europe</u>

ITW Contamination Control Saffierlaan 5 2132 VZ Hoofddorp The Netherlands +31 88 1307 400 Email: info@itw-cc.com Countries Outside US

Call to locate a distributor in your country.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.

© 2015 Techspray, A Division of ITW

