

## Envi-Ro-Tech 1679 Defluxer

1679

Flux removers (defluxers) remove flux residues and other contaminants left by manufacture, rework, or repair of printed circuit boards. Residues from higher, leadfree temperatures are more baked on and harder to clean. Techspray flux removers have been proven very effective at removing fluxes baked on at leadfree temperatures.





# Alcohol-based flux remover & maintenance cleaner

Alcohol-based general duty defluxer and all-purpose cleaner for light oils, silicones, waxes, greases and other contaminants found in electronics manufacturing.

- Non-aerosol
- · Safe on plastics
- Non-ozone depleting

## **Product Packaging**

1679-PT Envi-Ro-Tech 1679 1 pt 12 units/case







#### **Technical Information**

#### **Chemical & Physical Properties**

Appearance	Clear, colorless liquid
Odor	Alcohol odor
Flash Point	11.7°C (53°F)
VOC (EPA)	750-800 g/l
Boiling Point	80°C (176°F)

#### **Chemical Composition**

CHEMICAL NAME	CAS#
2-Propanol	67-63-0
Ethanol	64-17-5
Methanol	67-56-1

### **Environmental Policy**

Techspray is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

#### Resources

Techspray products are supported by a global sales, technical and customer services resources.

For additional technical information on this product or other Techspray products in the United States, call the technical sales department at 800-858-4043, email tsales@techspray.com or visit our web site at: <a href="www.techspray.com">www.techspray.com</a>.

North America Techspray P.O. Box 949 Amarillo, TX 79105 800-858-4043

Email: tsales@techspray.com

Europe
ITW Contamination Control
Saffierlaan 5
2132 VZ Hoofddorp
The Netherlands
+31 88 1307 400
Email: info@itw-cc.com

Countries Outside US

Call to locate a distributor in your country.

Important Notice to Purchaser/User. The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.

© 2015 Techspray, A Division of ITW

