



UPDATED TOWERLINE

The updated TowerLine workbenches are now more user friendly, versatile and flexible and they are designed for use in research, R&D and educational environments. Robust and whole module length shelves enable ergonomic use of measurement instruments and unique cable management system helps to keep the workstation tidy.

TowerLine workbenches are available in three module sizes: M1200, M1500 and M1800. The bench top depth is 750 mm and both laminate and ESD bench tops are available. The frames are painted with our new standard light grey, RAL 7035 (ESD). Frame load capacity is 300 kg/section (module) of even load, of which 200 kg on bench top. Delivery time is 15 working days.



Besides single-sided frame, also extension and corner frames are available. In addition, the single-sided workstation can be easily changed into a double-sided workstation by adding the bracket set and bench top and by moving the vertical feet into middle of the horizontal feet.

Single-sided frame includes two side feet, and these side feet will be placed outermost when building an extension or corner workstation as both extension and corner frames include only one middle foot.

TRESTON

Treston Group, head office and plant: Sorakatu 1, FI-20730 TURKU • Tel. +358 10 446 911
Treston Group, Jyväskylä plant: PO Box 33, FI-40351 JYVÄSKYLÄ • Tel. +358 10 446 911

info@trestongroup.com • trestongroup.com



TRESTON
GROUP




M1500
890351-49 frame
TT15775TL bench top



M1500
890351-49 frame
TT15775TL bench top x 2
890355-49 bracket set for 2-sided workbench frame



M1500
890351-49 frame
TT15775TL bench top x 2
890358-49 extension frame
854481-49 steel shelf x 4
91849006 light/balancer rail x 2
861956-00 light x 2




M1500
890358-49 extension frame



TRESTON


GROUP



890351-49 frame
TT15775TL bench top x 2
890358-49 extension frame
890353-49 corner bench frame
TT9898TLC corner bench top
854481-49 steel shelf x 4
890411-49 corner perforated panel

890353-49 corner bench frame

The height of the bench top is freely adjustable, as the height is adjusted by the bench top brackets that will be installed into the integrated uprights.



TRESTON

GROUP

The cable management is easier than before, as the vertical feet are now hollow and there are four cable management holes in both feet (diameter 50 mm). In the top of the vertical foot there is a metal end plate that can be bended inside in order to have more space for the cables.



TRESTON

GROUP

The rear case is updated with five cable management holes (diameter 60mm, compatible with UK plug). In addition, an energy rail can now be attached to the rear case.



890352-49	TowerLine workbench frame M1800
TT18875TL	Bench top TL M1800x750
TT18875TL-ESD	Bench top TL M1800x750 ESD
890351-49	TowerLine workbench frame M1500
TT15775TL	Bench top TL M1500x750
TT1577TL-ESD	Bench top TL M1500x750 ESD
890350-49	TowerLine workbench frame M1200
TT12775TL	Bench top TL M1200x750
TT12775TL-ESD	Bench top TL 1200x750 ESD
890356-49	TowerLine bracket set for 2-sided workbench frame M1800
890355-49	TowerLine bracket set for 2-sided workbench frame M1500
890354-49	TowerLine bracket set for 2-sided workbench frame M1200
890359-49	TowerLine extension frame M1800
890358-49	TowerLine extension frame M1500
890357-49	TowerLine extension frame M1200
890420-49	TowerLine bracket set for 2-sided extension frame M1800
890421-49	TowerLine bracket set for 2-sided extension frame M1500
890422-49	TowerLine bracket set for 2-sided extension frame M1200
890353-49	TowerLine corner bench frame
TT9898TLC	Corner bench top TL 981x981
TT9898TLC-ESD	Corner bench top TL 981x981 ESD



TRESTON

G R O U P

In addition to the below mentioned accessories, TowerLine workbenches can be equipped with accessories with arms (Ergonomic workspaces catalogue pages 34-35). For those accessories an arm holder is needed:

- 861098-49, for 40 mm arm, f.ex. Document holder 92849008
- 861099-49, for 60 mm arm, f.ex. LCD holder with double arm.

Drawer units 45/56, 45/66, 75/56 and 75/66 can be attached to the workstation by using drawer unit fixing set 854463-49.

	TowerLine M1800 accessories
861531-49	Perforated panel M1800, 1796x389
854482-49	Steel shelf TL M1800x300
854485-49	Steel shelf TL M1800x400
854557-49	Horizontal cable trough M1800
859155-49	Bin rail M1800
91849008	Light/balancer rail M1800
	TowerLine M1500 accessories
861526-49	Perforated panel M1500, 1490x389
854481-49	Steel shelf TL M1500x300
854484-49	Steel shelf TL M1500x400
854556-49	Horizontal cable trough M1500
859154-49	Bin rail M1500
91849006	Light/balancer rail M1500
	TowerLine M1200 accessories
854480-49	Steel shelf TL M1200x300
854483-49	Steel shelf TL M1200x400
854555-49	Horizontal cable trough M1200
859157-49	Bin rail M1200
91849010	Light/balancer rail M1200
	TowerLine accessories for corner frame
890411-49	Corner perforated panel TL
854479-49	Corner steel shelf TL

Old TowerLine is no longer available after the current stock has been sold out due to the changes in the manufacturing process of the TowerLine parts. Please note that old series TowerLine parts are not compatible with these new ones.

