Packing material roll stands and cutters

High packing material roll stand

Size W x D x H mm	Module	Max roll width mm	Code
1380 x 715 x 1500	M1350	1200	890 520-49P
1530 × 715 × 1500	M1500	1400	890 521-49P
1830 x 715 x 1500	M1800	1700	890 522-49P

High stand for two rolls. The rolls are adjustable in height. Axle diameter 25 mm. Max roll Ø 800 mm. Can be equipped with extra roll holder set, castor set and cutter PPC. Max load 40 kg per roll.

Low packing material roll stand

Size W x D x H mm	Module	Max roll width mm	Code
1380 × 715 × 1000	M1350	1200	859 103-49P
1530 x 715 x 1000	M1500	1400	859 105-49P
1830 x 715 x 1000	M1800	1 <i>7</i> 00	859 108-49P

Low stand for one roll. The roll is adjustable in height. Axle diameter $25\ \text{mm}.$ Max roll \varnothing 800 mm. Can be equipped with extra roll holder set, castor set and cutter PPC. Max load 40 kg per roll.





Castor set for packing material roll stands

Size mm Code				
Ø 100		834 734-00		
4 . 1 .	Ø 100 0 H L L	And I I I I I I I I I I I I I I I I I I I		

4 swivel castors Ø 100 mm, 2 with brakes. Attached directly to the stands.



Castor set for packing material roll stands

width mm Code
859 O4O-49P
859 041-49P
859 042-49P
al roll stands. Including brackets. Axle Nax load 40 kg.
i

Extra roll holder set

Extra roll holder set

Module	Max roll width mm	Code
M1350	1200	859 040-49P
M1500	1400	859 041-49P
M1800	1700	859 042-49P

Extra ro diamet

Cutter PPC

Size W x D x H mm	Module	Cutting width mm	Code
1350 x 130 x 200	M1350	1110	PPC135
1485 x 130 x 200	M1500	1250	PPC150
1785 x 130 x 200	M1800	1550	PPC180

The round cutting knife will slice through paper and cardboard with ease. Can be affixed to the bench top or alternatively to the upright profiles with fixing brackets PPC FB.

Cutter PPC

Suitability Code	
Suitability	Code
TPB/Concept upright profiles	PPC FB

In order to obtain an ergonomic position, the cutters can also be affixed to the upright profiles of all the workbenches using these fixing brackets. The fixing brackets make the cutter both height and tilt adjustable, tilt 30 degrees. Cutter is ordered separately.



Fixing brackets for cutter

Bracket pair for cutter

Suitability	Code		
Packing material roll stands	890 511-49P		

Cutter PPC can be to fitted to the packing material roll stand with the bracket pair. Height adjustable. Cutter is ordered separately.



Bracket pair for cutter



Packing trolleys

Low carton trolley LCT610

Trolley for large cartons. Three dividers can be assembled crosswise or lengthwise. The fourth divider is a push handle.

Frame and shelf are of epoxy powder-coated steel in grey RAL 7035. Four swivel castors (Ø 100 mm), two of which have brakes. Shelf height above the ground 160 mm.

Size $W \times D \times H$ mm	Shelf size W x D mm	Max load kg	Code
1080 x 630 x 1020	1000 x 630	150	LCT610



High carton trolley HCT410

Trolley for packing cartons. Shelves are equipped with steplessly adjustable steel M-divider hoops. Larger hoop height 540 mm, lowest point 330 mm above the shelf, smaller hoop height 315 mm, lowest point 105 mm above the shelf.

Frame and individually height adjustable shelves are of epoxy powder-coated steel in grey RAL 7035. Four swivel castors (\oslash 100 mm), two of which have brakes.

Size W x D x H mm	Shelf size W x D mm	Max load kg	Code
1090 x 530 x 1515	1000 x 430	150	HCT410




Carton trolley

Ν	ame	Description	Size $W \times D \times H mm$	Code
1.	Castor Set	Castor set for carton trolley. The castor set gives you a trolley from the SPM-shelf.	600 x 125	SPMCS-41
2.	600 mm deep shelf for many purposes. The shelf can also be equipped with PDH600 divider hoops. Max load 60 kg.	600 mm deep shelf for many purposes. The shelf can also be equipped with	467 x 600 x 32	SPM500-49
		PDH600 divider hoops. Max load 60 kg.	717 × 600 × 32	SPM750-49
			870 × 600 × 32	SPM900-49
			1167 x 600 x 32	SPM1200-49
		1317 × 600 × 32	SPM1350-49	
		1467 × 600 × 32	SPM 1500-49	
			1 <i>77</i> 3 × 600 × 32	SPM1800-49
3.	Divider hoops set (4 pcs), SPM-shelf	Divider hoop set for the SPM-shelves. Height 280 mm. The fixed divider is tightened with the screw at the front edge of the shelf.	8 x 400 x 280	PDH600-49









Multitrolley frame with accessories

No	ime	Description	Module	Size $W \times D \times H$ mm	Code
1. Multi trolley frame		Max load 300 kg.	M750	780×715×1630	860 156-41
			M900	935 x 715 x 1630	860 157-41
2.	Shelf for packing material	600 mm deep shelf for many purposes. The shelf can also be equipped with		717 × 600 × 32	SPM750-49
		PDH600 divider hoops. Max load 60 kg.		870 x 600 x 32	SPM900-49
3.	Brackets for upright tube SPM	Mounting parts for top shelf to the upright tube. With the mounting kit, you attach the SPM shelf to the upright tube.			SPMBS-49
4.	Divider hoops set SPM-shelf	Divider hoop set (4 pcs) for the SPM-shelves. Height 280 mm. The fixed divider is tightened with the screw at the front edge of the shelf.		8 × 400 × 280	PDH600-49
5.	Aluminium bin rail	For auxiliary steel shelf, stacking and picking bins. Very sturdy. Max load 15 kg.	M750	736 x 55 x 75	BP750C
			M900	889 x 55 x 75	BP900C
6.	Tablet bracket MY	Tablet bracket for 7-10" tablets.			MY
	LCD bracket MH	The quick-release mechanism is equipped with the standard used flat-screen mount 75×75 and 100×100 for the mounting of all normal flat screens.			МН
	Adapter set	Adapter set for fixing LCD bracket MH to the upright tubes.		200 x 110 x 60	AS2
7.	Auxiliary steel shelf	Shelf for A4 paper and tape dispensers (max 2 pcs per shelf). Mounted on bin profile. Max load 3 kg.		217 × 298 × 20	ASSA4
8.	Roll holder set	Roll holder set for packing material rolls. Max load 40 kg.	M750		890 547-49P
			M900		890 548-49P
9.	Fixed tape dispenser	Feeds tape from a roll; for a tape roll with a 76-mm socket. Includes screws to fix the dispenser to ASSA4. Max roll \varnothing 120 mm and width 50 mm.			FTD50
10.	Basic label dispenser	Feeds labels from a roll, space for several rolls. Fits on ASSA4 or can be placed in tray. Can be fixed with screws. Max roll Ø 220 mm and width 210 mm.	n a shelf or		BLD20
11.	Document holder A4	Steel document holder fixed on upright tube. Easily adjustable with the double arm	n. Max load	l 5 kg.	928 49 008P
12.	Equipment tray	With double arm and handle. For small tools and packing accessories such as BLD20. Max load 15 kg.		500 x 250 x 125	928 49 002P

Recycling material trolley PRMT

The recycling trolleys are ideal for placing underneath or beside the packing bench. The bins are adjustable in angle for ease of use! The trolley comes with four swivel castors, two with brakes. Available in single and double version.

Size W x D x H mm	Code
350 x 625 x 765	PRMT 1
680 x 625 x 765	PRMT 2



